INDEX

ADRENAL glands of the rat, effect of terramycin or fish solubles or both on, 631.
Adrenal, liver, duodenum and tibia of rats at birth, histological and biochemical studies of. Effect of varying the intake of calcium pantothenate of rats during pregnancy. II., 97.
Adrenal function in the pantothenic acid-deficient rat. Liver glycogen, blood glucose, adrenal cholesterol and adrenal ascorbic acid levels, 403.
Adults, young human, utilization of carotene from sweet potatoes by, 65.
Alfalfa and alfalfa fiber fractions, utilization of by growing rats, 237.
Albino rats (see Rats).
ALFIN-SLATER, R. B. See Cheng, A. L. S., 201; Deuel, H. J., Jr., 193.
ALLEN, R. S. See Jacobson, N. L., 143.
ALLISON, J. B., R. W. WANNEMACHER, JR., R. HILF, J. P. MIGLIARESE AND M. L. CROSSLEY. Dietary protein and tumor-host relationship in the rat, 593.
Aluminum, dental caries in the albino rat on high sucrose diets containing different amounts of, 285.
AMERICAN INSTITUTE OF NUTRITION
Editor of Journal of Nutrition, report of, 1954, 168.
Election of officers for 1954–55, 172.
New members elected, 1954, 168.
Proceedings, 18th annual meeting, 1954, 167.
Amino acid balance, dietary, effect of on fat deposition in the livers of rats fed low protein diets, 155.
Amino acids, utilization of from foods by the rat. III. Methionine, 333.
ANDERSON, F. N. See Highley, D. R., 249.
Antibiotics, growth, food utilization and the use of chromic oxide in studies with rabbits, 621.
— studies of in weanling rats administered suboptimal levels of certain B vitamins orally and parenterally, 461.
ARMSBY, HENRY PRENTISS (September 21, 1853 – October 19, 1921), 3.
ARNRICH, L., AND A. F. MORGAN. The utilization of carotene by hypothyroid rats, 107.
Ascorbic acid (adrenal), liver glycogen, blood glucose and adrenal cholesterol levels. Adrenal function in the pantothenic acid-deficient rat, 403.
— — effect of on rats deprived of pantothenic acid during pregnancy, 305.
— — utilization by the human, variability in the measure of, 389.
ASENJO, C. F. See Goyco, J. A., 427.
Ash, incisor versus femur in sweet pea lathyrism, 397.
Aureomycin, effect of on growth and protein utilization in the rat, 271.

BAUMANN, C. A. See Naber, E. C., 579.
BEARE, J. See Beaton, G. H., 291.
BEATON, G. H., J. BEARE, M. H. RYU AND E. W. MCHENRY. Protein metabolism in the pregnant rat, 291.
BENDA, C. E. See Bronner, F., 523.
BENTON, D. A. See Winje, M. E., 155.
BERRY, M. E., AND C. SCHUCK. The effect of aureomycin on growth and protein utilization in the rat, 271.
BIRD, H. R. See Naber, E. C., 579.
BLAKE, J. T. See Jacobson, N. L., 143.
Blood of hens, effect of injecting and feeding vitamin B_{12} on content of the vitamin in the, 571.
— glucose, liver glycogen, adrenal cholesterol and adrenal ascorbic acid levels. Adrenal function in the pantothenic acid-deficient rat, 403.
BOLDT, R. E. See Winje, M. E., 155.
Borden award in nutrition, 1955, announcement, 175, 314, 479; 1954, presentation, 173.
BOTHWELL, J. W., J. R. PRIGMORE AND J. N. WILLIAMS, JR. A study of the nitrogen metabolism of nitrogen-deficient rats, 469.
BRONNER, F., R. S. HARRIS, C. J. MALETSKOS AND C. E. BENDA. Studies in calcium metabolism. Effect of food phytates on calcium^{45} uptake in children on low-calcium breakfasts, 523.

CALCIUM and phosphorus in the rat, effects of dietary calcium and phosphorus levels upon the physiological behavior of, 17.
—^{45} (and Mo^{99}), placental transfer of in swine, 59.
—^{45} uptake in children on low-calcium breakfasts, effect of food phytates on, 523.
— metabolism, studies in. Effect of food phytates on calcium^{45} uptake in children on low-calcium breakfasts, 523.
— pantothenate intake of rats during pregnancy, effect of varying. II. Histological and histochemical studies of the liver, adrenal, duodenum and tibia of the young at birth, 97.
— to phosphorus ratio (riboflavin and vitamin B_{12}, source of protein) and skeletal phosphorus metabolism, congenital malformations as related to, 33.
Calves, dairy, effect of method of administration on the absorption and storage of vitamin A by, 143.
Caries, dental (see Dental caries).
Carotene, the utilization of, II. From sweet potatoes by young human adults, 65.
— utilization of by hypothyroid rats, 107.
CHENG, A. L. S., R. B. ALFIN-SLATER AND H. J. DEUEL, JR. The effect of fat level of the diet on general nutrition. XIII. The effect of increasing doses of x-irradiation on the protective action of fat on radiation injury, 201.
Chick, effect of thiamine analogs on embryonic development of the, 579.
— embryo, further observations on the B_{12}-deficient, 361.
—growth factor, unidentified, found in litter, 417.
Children, Iowa school, nutritive value of the diets of, 371.
— — — physical measurements of, 543.

— — — relationship of estimated nutrient intakes to physical and biochemical measurements, 557.
— on low-calcium breakfasts, effect of food phytates on calcium^{45} uptake in, 523.
— Papago Indian, nutritional status of, 121.
Cholesterol, adrenal, liver glycogen, blood glucose and adrenal ascorbic acid levels. Adrenal function in the pantothenic acid-deficient rat, 403.
Chromic oxide, use of in studies with rabbits, 621.
CHUNG, N. Y. See Everson, G., 305.
CHUNG, N. Y., L. NORTHRUP, R. GETTY AND G. EVERSON. Effect of varying the intake of calcium pantothenate of rats during pregnancy. II. Histological and histochemical studies of the liver, adrenal, duodenum and tibia of the young at birth, 97.
CLEMENTS, J. H. See Welch, B. E., 55.
Collagen formation in vitamin A-deficient rats, 81.
Congenital malformations as related to deficiencies of riboflavin and vitamin B_{12}, source of protein, calcium to phosphorus ratio and skeletal phosphorus metabolism, 33.
COUCH, J. R. See Ferguson, T. M., 361; Jacobs, R. L., 417; Welch, B. E., 601.
CRAMPTON, E. W., AND L. E. LLOYD. The effect of water restriction on the food intake and food efficiency of growing rats, 221.
— — AND B. E. RUTHERFORD. Apparent digestibility of dietary protein as a function of protein level, 445.
CRAVENS, W. W. See Naber, E. C., 579.
CROSS, V. See Robertson, W. van B., 81.
CROSSLEY, M. L. See Allison, J. B., 593.

DASSLER, W. Incisor ash versus femur ash in sweet pea lathyrism (odoratism), 397.
DAVIS, G. K. See Jeter, M. A., 215; Shirley, R. L., 59.
Dental caries, an effect of certain nutritionally inert materials on the incidence of experimental, 177.
— — in the albino rat on high sucrose diets containing different amounts of aluminum, 285.
DENTON, C. A., W. L. KELLOGG, J. R. SIZEMORE AND R. J. LILLIE. Effect of injecting and feeding vitamin B_{12} to hens on content of the vitamin in the egg and blood, 571.
DE RENZO, E. C., J. J. OLESON, B. L. HUTCHINGS AND J. H. WILLIAMS. Vitamin B_1 activity of disulfide forms of thiamine, 133.
DEUEL, H. J., JR. See Cheng, A. L. S., 201.
DEUEL, H. J., JR., C. R. MARTIN AND R. B. ALFIN-SLATER. The effect of fat level of the diet on general nutrition. XII. The requirement of essential fatty acids for pregnancy and lactation, 193.
DICKSON, W. H., E. B. PATTERSON, J. R. STERN AND J. MCGINNIS. The effect of terramycin or fish solubles or both on the growth, adrenal glands and gonads of the rat, 631.
Diet(s), fat-free, effects of on growing male rats with special reference to the endocrine system, 315.
— fluorine in, effect of different levels on the retention of fluorine in the skeleton of the rat, 481.
— high-fat, and thyroxine, failure of to modify the rate of thiamine loss from the body, 609.
— high sucrose containing different amounts of aluminum, dental caries in the albino rat on, 285.
— low protein, effect of dietary amino acid balance on fat deposition in the livers of rats fed, 155.
— of Iowa school children, nutritive value of, 371.
— weight increments of suckling rats as affected by litter size and maternal, 453.
Dietary fat, influence of on fecal fat excretion, 491.
— molybdenum, effect of on growth, hemoglobin, reproduction and lactation in rats, 215.
— protein and tumor-host relationship in the rat, 593.
DODDS, M. L. See Fisher, K. H., 389.
Duodenum, liver, adrenal and tibia of rats at birth, histological and histochemical studies of. Effect of varying the intake of calcium pantothenate of rats during pregnancy. II., 97.

EGGS, effect of injecting and feeding vitamin B_{12} to hens on content of the vitamin in the, 571.
Egg yolk storage of folic acid, the relation of vitamin B_{12} to, 601.
ELAM, J. F. See Jacobs, R. L., 417.
ELVEHJEM, C. A. See Schreiber, M., 221; Winje, M. E., 155.
Embryo, chick, further observations on the B_{12}-deficient, 361.
Embryonic development and growth of the chick, effect of thiamine analogs on, 579.
Endocrine system, effect of a fat-free diet on growing male rats with special reference to the, 315.
ENGER, M. See Waxler, S. H., 209.
EPPRIGHT, E. S., C. RODEBUCK, V. D. SIDWELL AND P. P. SWANSON. Relationship of estimated nutrient intakes of Iowa school children to physical and biochemical measurements, 557.
— — — AND V. D. SIDWELL. Physical measurements of Iowa school children, 543.
— — — — — — — — AND P. P. SWANSON. Nutritive value of the diets of Iowa school children, 371.
EVERSON, G. See Chung, N. Y., 97.
— — L. NORTHRUP, N. Y. CHUNG AND R. GETTY. The effect of ascorbic acid on rats deprived of pantothenic acid during pregnancy, 305.
Excretion, fat, influence of dietary fat on fecal fat excretion, 491.
— nasal, of a red pigment by rats subjected to stress conditions, influence of flavonoid compounds on the, 221.

FAT(s), carcass, of the rat, effect of source of dietary protein on the unsaturated fatty acids in, 49.
— deposition in the livers of rats fed low protein diets, effect of dietary amino acid balance on, 155.
— deposition. The influence of lard, olive oil and some simple triglycerides on rat body fats, 509.
— diets (high) and thyroxine, failure of to modify the rate of thiamine loss from the body, 609.
— dietary, influence of on fecal fat excretion, 491.
— excretion. The influence of dietary fat on fecal, 491.

—free diet, effects of on growing male rats with special reference to the endocrine system, 315.
— level of the diet, effect of on general nutrition, XII., 193; XIII, 201.
— protective action of, on radiation injury, effect of increasing doses of x-irradiation on. The effect of fat level of the diet on general nutrition, XIII, 201.
— rat body, influence of lard, olive oil and some simple triglycerides on, 509.
Fatty acids, essential, requirement of for pregnancy and lactation. The effect of fat level of the diet on general nutrition, XII, 193.
— — unsaturated in the carcass fat of the rat, effect of source of dietary protein on the, 49.
FEASTER, J. P. See Shirley, R. L., 59.
FERGUSON, T. M., AND J. R. COUCH. Further gross observations on the B_{12}-deficient chick embryo, 361.
FINERTY, J. C. See Panos, T. C., 315.
Fish solubles or terramycin or both, effect of on the growth, adrenal glands and gonads of the rat, 631.
FISHER, K. H., AND M. L. DODDS. Variability in the measure of total ascorbic acid utilization by the human, 389.
Flavonoid compounds, influence of on nasal excretion of a red pigment by rats subjected to stress conditions, 221.
Flour, improving the nutritive value of, VI., 225.
Fluorine, retention in the skeleton of the rat receiving different levels of fluorine in the diet, 481.
— storage in the rat, effects of inorganic salts on, 437.
Folic acid, relation of vitamin B_{12} to egg yolk storage of, 601.
Food efficiency of growing rats, effect of water restriction on the food intake and, 221.
— intake of growing rats, effect of water restriction on the, 221.
— utilization, growth, antibiotics and the use of chromic oxide in studies with rabbits, 621.
FOWLER, J. See Jacobs, R. L., 417.
FRENCH, C. E., J. A. UBAM, R. H. INGRAM AND R. W. SWIFT. The effect of high levels of terramycin and streptomycin on longevity in the rat, 75.

GERSHOFF, S. N., AND D. M. HEGSTED. The failure of thyroxine and high-fat diets to modify the rate of thiamine loss from the body, 609.
GETTY, R. See Chung, N. Y., 97; Everson, G., 305.
Gonads of the rat, effect of terramycin or fish solubles or both on, 631.
GOYCO, J. A., AND C. F. ABENJO. Effect of methionine, vitamin B_{12} and α-tocopherol on the growth-promoting and hepatic-necrogenic activity of Puerto Rican *Torula* yeast, 427.
GRAINGER, R. B., B. L. O'DELL AND A. G. HOGAN. Congenital malformations as related to deficiencies of riboflavin and vitamin B_{12}, source of portein, calcium to phosphorus ratio and skeletal phosphorus metabolism, 33.
Growth and protein utilization in the rat, effect of aureomycin on, 271.
— antibiotics, food utilization and the use of chromic oxide in studies with rabbits, 621.
— in rats, effect of dietary molybdenum upon, 215.
— of the rat, effect of terramycin or fish solubles or both on, 631.
GUTHNECK, B. T. See Schweigert, B. S., 333.

HALDI, J. See Wynn, W., 285.
HANSARD, S. L., AND M. P. PLUMLEE. Effects of dietary calcium and phosphorus levels upon the physiological behavior of calcium and phosphorus in the rat, 17.
HARPER, A. E. See Winje, M. E., 155.
HARRIS, R. S. See Bronner, F., 523.
HEGSTED, D. M. See Gershoff, S. N., 609.
Hemoglobin in rats, effect of dietary molybdenum upon, 215.
Hens, effect of feeding and injecting vitamin B_{12} to on the content of the vitamin in the egg and blood, 571.
HIGHLEY, D. R., H. E. PARKER AND F. N. ANDERSON. Quantitative interrelationships between the effects of iodine and thiouracil on thyroid function, 249.
HILF, R. See Allison, J. B., 593.
HIRSCH, J. S. See Vavich, M. G., 121.
HOGAN, A. G. See Grainger, R. B., 33.
HOLLINGER, M. E. See James, W. H., 65.
HOMEYER, P. G. See Jacobson, N. L., 143.
HUANG, T. C., H. E. ULRICH AND C. M. MCCAY. Antibiotics, growth, food utilization and the use of chromic oxide in studies with rabbits, 621.
HURLEY, L. S., AND J. B. MACKENZIE. Adrenal function in the pantothenic acid-deficient rat. Liver glycogen, blood glucose, adrenal cholesterol and adrenal ascorbic acid levels, 403.
HUTCHINGS, B. L. See De Renzo, E. C., 133.

INGRAM, R. H. See French, C. E., 75.
Iodine and thiouracil, quantitative interrelationships between the effects of on thyroid function, 249.
Iowa school children, nutritive value of the diets of, 371.
— — — physical measurements of, 543.
— — — relationship of estimated nutrient intakes of to physical and biochemical measurements, 557.
Irradiation (x-), effect of increasing doses of on the protective action of fat on radiation injury. The effect of fat level of the diet on general nutrition, XIII., 201.

JACOBS, R. L., J. F. ELAM, J. FOWLER AND J. R. COUCH. An unidentified chick-growth factor found in litter, 417.
JACOBSON, N. L., R. S. ALLEN, J. T. BLAKE AND P. G. HOMEYER. The effect of method of administration on the absorption and storage of vitamin A by dairy calves, 143.
JETER, M. A. See Shirley, R. L., 59.
— — — AND G. K. DAVIS. The effect of dietary molybdenum upon growth, hemoglobin, reproduction and lactation in rats, 215.
JAMES, W. H., AND M. E. HOLLINGER. The utilization of carotene. II. From sweet potatoes by young human adults, 65.
JOHNSON, B. C. See Schendel, H. E., 461.

KELLOGG, W. L. See Denton, C. A., 571.
KEMMERER, A. R. See Vavich, M. G., 121.

LACTATION and pregnancy, the requirement of essential fatty acids for. The effect of fat level of the diet on general nutrition, XII., 193.
— in rats, effect of dietary molybdenum upon, 215.
Lard, olive oil and some simple triglycerides, influence of on rat body fats, 509.
Lathyrism, sweet pea (odoratism), incisor ash versus femur ash in, 397.
LILLIE, R. J. See Denton, C. A., 571.
Litter size and maternal diet, weight increments of suckling rats as affected by, 458.
Liver, adrenal, duodenum and tibia of young rats at birth, histological and histochemical studies of, effect of varying the intake of calcium pantothenate of rats during pregnancy, II., 97.
— glycogen, blood glucose, adrenal cholesterol and adrenal ascorbic acid levels. Adrenal function in the pantothenic acid-deficient rat, 403.
Livers of rats fed low protein diets, effect of dietary amino acid balance on fat deposition in, 155.
LLOYD, L. E. See Crampton, E. W., 221.
LUCKEY, T. D., T. J. MENDE AND J. PLEASANTS. The physical and chemical characteristics of rat's milk, 345.
LUNDBERG, W. O. See Norcia, L. N., 491; 509.
Lysine-deficient rats, a study of the nitrogen metabolism of, 469.

McCALL, J. T. See Shirley, R. L., 59.
McCAY, C. M. See Huang, T. C., 621.
McGINNIS, J. See Dickson, W. H., 631.
McHENRY, E. W. See Beaton, G. H., 291.
MACKENZIE, J. B. See Hurley, L. S., 403.
MALETSKOS, C. J. See Bronner, F., 523.
Malformations, congenital, as related to deficiencies of riboflavin, vitamin B_{12}, source of protein, calcium to phosphorus ratio and skeletal phosphorus metabolism, 33.
MARTIN, C. R. See Deuel, H. J., Jr., 193.
MAY, E. See Westerman, B. D., 225.
Measurements, physical and biochemical, of Iowa school children in relationship to estimated nutrient intakes, 557.
MENDE, T. J. See Luckey, T. D., 345.
Metabolism, calcium, studies in. Effect of food phytates on calcium^{45} uptake in children on low-calcium breakfasts, 523.
— nitrogen, of lysine-deficient rats, 469.
— protein, in the pregnant rat, 291.
— skeletal phosphorus, congenital malformations as related to, 33.
Methionine. Utilization of amino acids from foods by the rat. III., 333.
— vitamin B_{12} and α-tocopherol, effect of on the growth-promoting and hepatic necrogenic activity of Puerto Rican *Torula* yeast, 427.
MEYER, J. H. The utilization of alfalfa and alfalfa fiber fractions by growing rats, 237.
Mice, organ weights and obesity in, 209.
MIGLIARESE, J. P. See Allison, J. B., 593.
Milk, rat's, physical and chemical characteristics of, 345.
Mo^{99} and Ca^{45}, placental transfer of in swine, 59.
Molybdenum, dietary, effect of on growth, hemoglobin, reproduction and lactation in rats, 215.
MORGAN, A. F. See Arnrich, L., 107.
MUHLER, J. C. Retention of fluorine in the skeleton of the rat receiving different levels of fluorine in the diet, 481.
——— See Weddle, D. A., 437.

NABER, E. C., W. W. CRAVENS, C. A. BAUMANN AND H. R. BIRD. The effect of thiamine analogs on embryonic development and growth of the chick, 579.
Nitrogen metabolism of lysine-deficient rats, 469.
NORCIA, L. N., AND W. O. LUNDBERG. Fat excretion. The influence of dietary fat on fecal fat excretion, 491.
———————— Body fat deposition. The influence of lard, olive oil and some simple triglycerides on rat body fats, 509.
NORTHRUP, L. See Chung, N. Y., 97; Everson, G., 305.
Nutrient intakes, estimated, of Iowa school children in relation to physical and biochemical measurements, 557.
Nutritive value of flour, improving the, VI. A comparison of the use of soya flour and wheat germ, 225.

OBESITY in mice, organ weights and, 209.
O'DELL, B. L. See Grainger, R. B., 33.
Odoratism (sweet pea lathyrism), incisor ash versus femur ash in, 397.
OLESON, J. J. See De Renzo, 133.
Olive oil, lard and some simple triglycerides, influence of on rat body fats, 509.
OLIVER, B. See Westerman, B. D., 225.
Organ weights and obesity in mice, 209.
Osborne and Mendel award, 1955 announcement, 176, 313, 480; 1954 presentation, 174.
OUTLER, J. C. See Shirley, R. L., 59.

PANOS, T. C., AND J. C. FINERTY. Effects of a fat-free diet on growing male rats with special reference to the endocrine system, 315.
Pantothenic acid-deficient rat, adrenal function in the. Liver glycogen, blood glucose, adrenal cholesterol and adrenal ascorbic acid levels, 403.
——— rats deprived of during pregnancy, effect of ascorbic acid on, 305.
Papago Indian children, nutritional status of, 121.
PARKER, H. E. See Highley, D. R., 249.
PATTERSON, E. B. See Dickson, W. H., 631.
PERRETT, R. W. See Welch, B. E., 601.
Phosphorus (and calcium) in the rat, effects of dietary calcium and phosphorus levels upon the physiological behavior of, 17.
Phytates, food, effect of on calcium^{45} uptake in children on low-calcium breakfasts, 523.
Placental transfer of Mo^{99} and Ca^{45} in swine, 59.
PLEASANTS, J. See Luckey, T. D., 345.
PLUMLEE, M. P. See Hansard, S. L., 17.
Potatoes, sweet, utilization of carotene from by young human adults, 65.
Pregnancy and lactation, the requirement of esential fatty acids for. The effect of fat level of the diet on general nutrition. XII., 193.
— effect of ascorbic acid on rats deprived of pantothenic acid during, 305.

— effect of varying the intake of calcium pantothenate of rats during, II. Histological and histochemical studies of the liver, adrenal, duodenum and tibia of the young at birth, 97.
PRIGMORE, J. R. See Bothwell, J. W., 469.
Protein, dietary, and tumor-host relationship in the rat, 593.
—— apparent digestibility of as a function of protein level, 445.
—— effect of source of on the unsaturated fatty acids in the carcass fat of the rat, 49.
— diets (low), effect of dietary amino acid balance on fat deposition in the livers of rats fed, 155.
— level, apparent digestibility of dietary protein as a function of, 445.
— metabolism in the pregnant rat, 291.
— source of, congenital malformations as related to a deficiency of, 33.
— utilization in the rat, effect of aureomycin on, 271.
Puerto Rican *Torula* yeast, effect of methionine, vitamin B_{12} and α-tocopherol on the growth-promoting and hepatic-necrogenic activity of, 427.

RABBITS, antibiotics, growth, food utilization and the use of chromic oxide in studies with, 621.
Radiation injury, effect of increasing doses of x-irradiation on the protective action of fat on. The effect of fat level of the diet on general nutrition. XIII., 201.
Rat(s), albino, on high sucrose diets containing different amounts of aluminum, dental caries in, 285.
— body fats, influence of lard, olive oil and some simple triglycerides on, 509.
— deprived of pantothenic acid during pregnancy, effect of ascorbic acid on, 305.
— dietary protein and tumor-host relationship in the, 593.
— effect of aureomycin on growth and protein utilization in the, 271.
— effect of dietary molybdenum upon growth, hemoglobin, reproduction and lactation in, 215.
— effect of source of dietary protein on the unsaturated fatty acids in the carcass fat of the, 49.
— effect of terramycin or fish solubles or both on the growth, adrenal glands and gonads of the, 631.
— effect of varying the intake of calcium pantothenate of during pregnancy. II. Histological and histochemical studies of the liver, adrenal, duodenum and tibia of the young at birth, 97.
— effects of inorganic salts on fluorine storage in the, 437.
— growing, effect of water on the food intake and food efficiency of, 221.
— growing male, effect of a fat-free diet on, with special reference to the endocrine system, 315.
—— utilization of alfalfa and alfalfa fiber fractions by, 237.
— hypothyroid, utilization of carotene by, 107.
— livers of, fed low protein diets, effect of dietary amino acid balance on fat deposition in, 155.
— longevity in, effect of high levels of terramycin and streptomycin on, 75.
— lysine-deficient, a study of the nitrogen metabolism of, 469.
— milk, physical and chemical characterization of, 345.
— pantothenic acid-deficient, adrenal function in the. Liver glycogen, blood glucose, adrenal cholesterol and adrenal ascorbic acid levels, 403.
— physiological behavior of calcium and phosphorus in, effects of dietary calcium and phosphorus levels upon, 17.
— pregnant, protein metabolism in the, 291.
— retention of fluorine in the skeleton of, receiving different levels of fluorine in the diet, 481.
— suckling, weight increments of as affected by litter size and maternal diet, 453.
— under stress conditions, influence of flavonoid compounds on the nasal excretion of a red pigment by, 221.
— utilization of amino acids from foods by the, III. Methionine, 333.
— vitamin A-deficient, collagen formation in, 81.
— weanling, administered suboptimum levels of certain B vitamins orally and parenterally, studies of antibiotics in, 461.
RENDIG, V. V. See Weir, W. C., 87.
Reproduction and lactation in rats, effect of dietary molybdenum upon, 215.
Riboflavin and vitamin B_{12}, sources of protein, calcium to phosphorus ratio and skeletal phosphorus metabolism, congenital malformations as related to, 33.
ROBERTSON, W. VAN B., AND V. CROSS. Collagen formation in vitamin A-deficient rats, 81.
RODEBUCK, C. See Eppright, E. S., 557.
RUTHERFORD, B. E. See Crampton, E. W., 445.
RYU, M. H. See Beaton, G. H., 291.

SALTS, inorganic, effects of on fluorine storage in the rat, 437.
SCHENDEL, H. E., AND B. C. JOHNSON. Studies of antibiotics in weanling rats administered suboptimum levels of certain B vitamins orally and parenterally, 461.
SCHREIBER, M., AND C. A. ELVEHJEM. The influence of flavonoid compounds on the nasal excretion of a red pigment by rats subjected to stress conditions, 257.
SCHUCK, C. See Berry, M. E., 271.
SCHULTZE, M. O. Weight increments of suckling rats as affected by litter size and maternal diet, 453.
SCHWEIGERT, B. S., AND B. T. GUTHNECK. Utilization of amino acids from foods by the rat. III. Methionine, 333.
Serum inorganic sulfate sulfur as a measure of the sulfur intake in sheep, 87.
SHAW, J. H. An effect of certain nutritionally inert materials on the incidence of experimental dental caries, 177.
Sheep, serum inorganic sulfate sulfur as a measure of sulfur intake, 87.
SHERWOOD, F. W. See Tove, S. B., 49.
SHIRLEY, R. L., M. A. JETER, J. P. FRASER, J. T. MCCALL, J. C. OUTLER AND G. K. DAVIS. Placental transfer of Mo^{99} and Ca^{45} in swine, 59.
SIDWELL, V. D. See Eppright, E. S., 371, 543, 557.
SIZEMORE, J. R. See Denton, C. A., 571.
Skeleton of the rat, effect of fluorine storage in, when receiving different levels of fluorine in the diet, 481.
SMITH, F. H. See Tove, S. B., 49.

Soya flour and wheat germ, a comparison of the use of. Improving the nutritive value of flour. VI., 225.
STERN, J. R. See Dickson, W. H., 631.
Streptomycin (and terramycin), effect of high levels of on longevity in the rat, 75.
Sulfur intake of sheep, serum inorganic sulfate sulfur as a measure of, 87.
SWANSON, P. P. See Eppright, E. S., 371, 557.
SWIFT, R. W. Henry Prentiss Armsby (September 21, 1853 – October 19, 1921), 3.
——— See French, C. E., 75.
Swine, placental transfer of Mo^{99} and Ca^{45} in, 59.

TERRAMYCIN and streptomycin, effect of high levels of, on longevity in the rat, 75.
— or fish solubles or both, effect of, on the growth, adrenal glands and gonads of the rat, 631.
Thiamine analogs, effect of on embryonic development and growth of the chick, 579.
— disulfide forms of, vitamin B_1 activity of, 133.
— loss from the body, the failure of thyroxine and high-fat diets to modify the rate of, 609.
Thiouracil and iodine, quantitative interrelationships between the effects of, on thyroid function, 249.
Thyroid function, quantitative interrelationships between the effects of iodine and thiouracil on, 249.
Thyroxine and high-fat diets, failure of to modify the rate of thiamine loss from the body, 609.
Tibia, liver, adrenal and duodenum of rats at birth, histological and histochemical studies of. Effect of varying the intake of calcium pantothenate of rats during pregnancy. II., 97.
Tocopherol (α), effect on the growth-promoting and hepatic-necrogenic activity of Puerto Rican *Torula* yeast, 427.
TOVE, S. B., F. H. SMITH, C. T. YOUNG AND F. W. SHEWOOD. Effect of source of dietary protein on the unsaturated fatty acids in the carcass fat of the rat, 49.
Triglycerides, simple, influence of on rat body fats, 509.
Tumor-host relationship in the rat and dietary protein, 593.

ULRICH, H. E. See Huang, T. C., 621.

UREM, J. A. See French, C. E., 75.

VAVICH, M. G., A. R. KEMMERER AND J. S. HIRSCH. The nutritional status of Papago Indian children, 12.
Vitamin (s) A, absorption of by dairy calves, effect of method of administration on, 143.
— -deficient rats, collagen formation in, 51.
— effect of method of administration on the absorption and storage of by dairy cows, 143.
— storage of by dairy cows, effect of method of administration on, 143.
— B_1 activity of disulfide form of thiamine, 133.
(—) B_{12}-deficient chick embryo, further observations on the, 361.
——— effect of injecting and feeding to hens on content of the vitamin in the egg and blood, 571.
——— effect of on the growth-promoting and hepatic-necrogenic activity of Puerto Rican *Torula* yeast, 427.
——— (and riboflavin), source of protein, calcium to phosphorus ratio and skeletal phosphorus metabolism, congenital malformations as related to, 33.
——— the relation of to egg yolk storage of folic acid, 601.
Vitamin (B), studies of antibiotics in weanling rats administered suboptimum doses of, 461.

WANNEMACHER, R. W., JR. See Allison, J. B., 593.
Water restriction, effect of on the food intake and food efficiency of growing rats, 221.
WAXLER, S. H., AND M. ENGER. Organ weights and obesity in mice, 209.
WEDDLE, D. A., AND J. C. MUHLER. The effects of inorganic salts on fluorine storage in the rat, 437.
WEIR, W. C., AND V. V. RENDIG. Serum inorganic sulfate sulfur as a measure of the sulfur intake of sheep, 87.
WELCH, B. E., R. W. PERRETT, J. H. CLEMENTS AND J. R. COUCH. The relation of vitamin B_{12} to egg yolk storage of folic acid, 601.
WESTERMAN, B. D., B. OLIVER AND E. MAY. Improving the nutritive value of flour. VI. A comparison of the use of soya flour and wheat germ, 225.
Wheat germ and soya flour, comparison of the use of. Improving the nutritive value of flour, VI., 225.
WILLIAMS, J. H. See De Renzo, E. C., 133.
WILLIAMS, J. N., JR. See Bothwell, J. W., 467.
WINJE, M. E., A. E. HARPER, D. A. BENTON, R. E. BOLDT AND C. A. ELVEHJEM. Effect of dietary amino acid balance on fat deposition in the livers of rats fed low protein diets, 155.
WYNN, W., AND J. HALDI. Dental caries in the albino rat on high sucrose diets containing different amounts of aluminum, 285.

YEAST, Puerto Rican *Torula*, effect of methionine, vitamin B_{12} and α-tocopherol on the growth-promoting and hepatic-necrogenic activity of, 427.